


Client	KOROPLAST TEMİZLİK AMBALAJ ÜRÜNLERİ SAN. VE DIŞ TIC. A.Ş.
Addresses	ATATÜRK MAH. ORHAN VELİ CAD. NO: 12 MERKEZ ESENYURT/ ISTANBUL-TURKEY
Date of Laboratory Entry	04.07.2024
Test Standard	In-house Method- Kit Method
Date of Analysis	04-05.07.2024
Test material	NATURAL BAKING PAPER
Trade Mark	
Report Date	05.07.2024
RAPOR NO/Report Number	PC-0724-201
SAYFA NO/Page Number	Total / 4 page
Scope Of the Report	VEGAN Test
Remark	<p>The test results and assessments refer exclusively to the examined test specimens and all applicable statutory regulations. The validity of the document expires in case of modifications in the composition of the material or the processing conditions. This present document may only be published and reproduced unabridged and unaltered.</p> <p>1. Kit Components Lyophilized qPCR Mix: Primers / Probes / Nucleotides / Polymerase Rehydration Buffer Lyophilized Positive Control DNA Lyophilized Internal Control DNA PCR Grade Water</p> <p>2. Kit Components RapidFinder™ Vegan ID Kit for RT-PCR A24412</p>



Technical Manager
Dr. Eng. Aylin DENLİ

This report shall not be reproduced other than in full except with the permission of the company. Testing report without signature and seal are not valid. This report was prepared after applying test/tests to the samples that are sent to our company. Note that this report does not involve other samples of the customer. The tests were carried out in the subcontractor laboratory with which the Turkish Office had an agreement and reported by Astor Mayer.

ASTOR MAYER CERTIFICATION LLC.

Head Office: 1309 Coffeen Avenue STE 10372 Sheridan, Wyoming 82801 United States of America
Contact information: Atalar mah. Muslu Sok. Caroline Apt. No:3/1 Kartal İSTANBUL-TURKEY
Contact: +13072889050 +902165505137 www.astormayer.us www.astormayer.com.tr

1. Test Result

Test Material	VEGAN TEST		
	Measurement Limit	Evaluation	Result
	≤ 10 ng/ul	PASSED	Negative

2. Product Picture





Technical Manager
Dr. Eng. Aylin DENLİ

This report shall not be reproduced other than in full except with the permission of the company. Testing report without signature and seal are not valid. This report was prepared after applying test/tests to the samples that are sent to our company. Note that this report does not involve other samples of the customer. The tests were carried out in the subcontractor laboratory with which the Turkish Office had an agreement and reported by Astor Mayer.

ASTOR MAYER CERTIFICATION LLC.

Head Office: 1309 Coffeen Avenue STE 10372 Sheridan, Wyoming 82801 United States of America
Contact information: Atalar mah. Muslu Sok. Caroline Apt. No:3/1 Kartal İSTANBUL-TURKEY
Contact: +13072889050 +902165505137 www.astormayer.us www.astormayer.com.tr




Technical Manager
Dr. Eng. Aylin DENLİ

This report shall not be reproduced other than in full except with the permission of the company. Testing report without signature and seal are not valid. This report was prepared after applying test/tests to the samples that are sent to our company. Note that this report does not involve other samples of the customer. The tests were carried out in the subcontractor laboratory with which the Turkish Office had an agreement and reported by Astor Mayer.

ASTOR MAYER CERTIFICATION LLC.

Head Office: 1309 Coffeen Avenue STE 10372 Sheridan, Wyoming 82801 United States of America
Contact information: Atalar mah. Muslu Sok. Caroline Apt. No:3/1 Kartal İSTANBUL-TURKEY
Contact: +13072889050 +902165505137 www.astormayer.us www.astormayer.com.tr



This report is 4 pages in total. Release Date: 05.07.2024



Technical Manager
Dr. Eng. Aylin DENLİ

This report shall not be reproduced other than in full except with the permission of the company. Testing report without signature and seal are not valid. This report was prepared after applying test/tests to the samples that are sent to our company. Note that this report does not involve other samples of the customer. The tests were carried out in the subcontractor laboratory with which the Turkish Office had an agreement and reported by Astor Mayer.

ASTOR MAYER CERTIFICATION LLC.

Head Office: 1309 Coffeen Avenue STE 10372 Sheridan, Wyoming 82801 United States of America
Contact information: Atalar mah. Muslu Sok. Caroline Apt. No:3/1 Kartal İSTANBUL-TURKEY
Contact: +13072889050 +902165505137 www.astormayer.us www.astormayer.com.tr



ASTOR MAYER

VEGAN- PACKAGING PRODUCT CERTIFICATION

Manufacturer:

KOROPLAST TEMIZLIK AMBALAJ ÜRÜN.SAN.VE DIŞ TIC.A.Ş.

Address: ATATÜRK MAH. ORHAN VELİ CAD. KOROZO NO: 12 İÇ KAPI NO: 1 ESENYURT/ ISTANBUL-TURKEY

Product:

NATURAL BAKING PAPER

Trademark:



Test Report Information:

Report Number PC-0724-201 Report Date 05.07.2024

Test Result: Vegan Test negative and as a result of the tests, no animal DNA was found in the sample.

Audit Date: 28.06.2024-Factory production control was performed.

Related Standard:

ASTRM-01 Vegan Product Certification Standard

ISO 22000:2018 Food safety management systems - Requirements for any organization in the food chain

Produced by the manufacturer, Astor Mayer declares its compliance with the article of Vegan Product Certification Standard, REGULATION (EC) No 2023/2006 on good manufacturing practice for materials and articles intended to come into contact with food and the Regulation (EC) No 1935/2004 Food Contact Materials (FCMs). This certificate has been issued in accordance with the following:

- Suitability tests have been done.
- Factory production controls of compliance have been made.
- Can use the Vegan Sign on the product.

This certificate with the referred test report-audit is reviewed and attested with presumption of compliance with the essential requirements listed Astor Mayer Vegan Product Certification Standard(s) above. Other relative directive must be applied. This attestation does not abrogate the compulsory obligation of the manufacturer to issue the declaration of conformity. This certificate does not remove the responsibility in national / international trade of the company's for product safety, labeling etc. This certificate is written on subject to conditions. Any significant changes to the design and structure of the product will invalidate this certificate. The responsibility for the product and the non-test materials in accordance with the regulation is the responsibility of the manufacturer or his authorized representative. This certificate is prepared by examining the vegan audit and test results of the customer.



Certificate No : VG-21.06.201
Certificate Date : 08.06.2021
Issue Date : 05.07.2024
Validity Period : 12 Months
Expiry Date : 03.07.2025



The document is valid as long as the Client complies with the terms of the contract, undergoes annual surveillance audits and maintains the relevant requirements pursuant to International accreditation rules.
Certificate validity status can be queried at www.astormayer.us

ASTOR MAYER CERTIFICATION LLC.
1309 Coffeen Avenue STE 10372 Sheridan, Wyoming 82801 United States of America
+13072889050 www.vegan-natural.org www.astormayer.us